
INPUT TRANSACTIONS

MSGT WORKMAN

OVERVIEW

The purpose of this period of instruction is to provide you with the knowledge necessary to supervise record and forms for input transactions

LEARNING OBJECTIVES



TERMINAL LEARNING OBJECTIVES

ENABLING LEARNING OBJECTIVES

EVALUATION

THERE WILL BE A WRITTEN AND PERFORMANCE EXAMINATION AT THE TIME INDICATED ON YOUR TRAINING SCHEDULE

NAVMC 10245

EQUIPMENT REPAIR ORDER (ERO)

ERONO.		200	MAL	MOL TI	PMEO	104 SF	DIFFE	RENT	PROM		ACCES	PTED	gry cox	GNATU	(BRI)						DATE	(DAIS)	rico	OPF	1	ORGAN	EZATH	ON DOM	IS REF	MIRS	-	DEST.	1	i z	1
REQUEST NO	O./OLD ERO NO	00	0			100	×	-	SEA	HAL	MINES	-	-					-	100	9 10	QTY	RD	0	-	-	OWNIN	O ORG	ANI ZAT	TON	-	_	12	13 14	Lu	1 16
NAME OF TAXABLE PARTY.			1 2		1 2		-	15.	26	12	20	29	1 30	1 21	1 32	33	34	35	100	1100	1908	40	1 41	1 42	1 40										
OWNER AC	OCCUPANT OF THE PARTY OF	_	-		BY ISK	_				03		-	-		FECT	-	PRI	-	-	NUMBE		DOM:	_		ENCLAT	TURE									
41 45	46 47 4													49	80	81	-	1 13	34	100	1 30 1	52 m	1 95	1									+."		
	CODE (CINCLE	_		- 5	1601		-	- 1	DB STAT	10	Pi			-			-	Name of	or Maria	or Resident	okania da	and the same	SHI	OP SECT	PELE	AMED F	ROM II	NVESTI	GATION	N TEHON	ATUNE			-	
N N	PXC		0	-	K K	\$			se 62		1 4	100	-	67	60	1 44	1 34	21	12	73	121	75 70		77											
DISPOSITION	HAEFERENCE	and the same					-		OW	NEAT	PHONE	E NO.	- Annual	COR COLO	MEC	REPA	VŠN								REMA	RICS						-			
	ICHCLE OHE	AUL	3	NSN	0 11	1	1	OR I	T-ORIS	HEAD	5000	nud .	- 10	-1	1	ws	1		-	CLATU		1 1	- 1	1	1	1	1	1 1	1	1	AM CN/		10000	1	1
-	6 12	* 1		7	0	9	10	11	12	13	74	151	16 1	17 1	10 11	9 2	0 21	1	22	23 2	26	26	27 1	26 21	30	31	32	33	34	35	26	37	38	39	40
NO.			DESC	RIPTIO	N OF W	MONK					(HOUR	R (5)			MECH		8			ST	ATUS	CODE		DATE	is t			NON-SA MEN. NO			0	QTY		cos	T
										_		1							4			-	1			-				_		-	+		
			100							-		+				101	1515		+	4111		-	-	-		-		-		**		-			
-		_	_			_				+		+		_	_	_		-	+			+	+			+	-	200113		-	-	-	+		-
_				7	7		Г		1 1		7	7		7		1	_	=	7	1	-		+			-	7	-		_	1				
			1		/\			4				1		J-	_				1	1		p		7			, .		/,	_					111000
																								1											
			4.									+			-			_	+			+	-			-						-	+		
-		_	_		-	_				-		+			-		-	_	+	-	_	+	+	-		+	-				-	-			_
-	100	-	-	-	-	-	-			-		+	_	-		-	_	-	+	-		+	+	_	_	+		_	-	-		+	+		-
+-												+	,	-					1		-		1		1	+						1			
				-															1																
																			1					142		-						-	-		
										-		+			-				+			-	+		-	-			(0)		_	-			-
CIV. LABOR	CHA		Ter	700.77	SY PA	975	-					104	YE CL	OSED		100	TW	6.17	ABOR	HPG.			-	LOSE ST	AT IN	O. UNIX	EH	EOTC	1	MARY	METER	BE ADIA	40		
4		. 1		-			E	1	1.		1				1	1			1	1	. 1			-1						1	- 1	1	1		1
14 15	16 17 *	8 1	,	80	21	22	0	24	25	- 26	27	13	20	29	30	31	_	102	33	1 34	4 38	· 36	3	7	36	39	40	41	40		0	66	45	46	47
	PECTI	-			-	-		UN-HOU						-	TASK	TASKS	FIELD	100			-HOURS		1	DEFEC		-	-	TASK	18				AN-HOU	**	-
- 06	74011		TAS	n.p			1	or-Hou				DEFEC				1,0000		+		200	- HOUNS			Jerec		-	-								
46	49 SO BY (SIGNATURE	81	80		13	54	10	S S		17	Town	59 FR NO	TIPLE	NAM CO	61	62	43	1	64	65	DATE	• 67	68	TOELIN	VERED T		74 NATUS	72		73	74	71	DATE	76 •	77
- CIED	e / condition (Cital						1				1			27.55	100					-	-				and and	-									
EQUIPMEN	AT REPAIR OF	DER (ERO	(112	40)	-		-	-			-	-	-		week	-	nima	WATER AND ADDRESS OF THE PARTY	subred.	-	A. STORMAN	-	-	-	-	-	-	CBASSON .		Transport.	-	-	NO.	-

PURPOSE

- **►** To request: (FOR GROUND EQUIPMENT)
 - **✓** Modifications.
 - Calibration.
 - **✓** CM
 - **✓ PMCS's**
 - ✓ LTI's.
- Recording/Reporting Maint. Performed.
- > To transmit work to higher levels of support.
- Use in all instances where either Maint. Resources, Rpr. Prts. or Sec. Reps are required.

PURPOSE CONT.

- ► Not required for the following:
 - ✓ Total labor < 0.3 Hours.
 - ✓ Total parts < \$25.00, and parts do not have to be ordered.</p>
- Not used to request/record 1st or 5th EOM (Depot).
 - ✓ Will be used to request 2nd through 4th EOM maint.
 - ✓ First echelon will use in conjunction with a EROSL to order SL-3 IAW prescribed procedures.

PURPOSE CONT.

- **▶** 2nd EOM ERO is optional for the following:
 - ✓ Transmitting TMDE into the Cal. Lab. *
 - ✓ Transmitting work to 3rd & not authorized 2nd or supported by a 2nd maintenance shop.

PURPOSE CONT.

- *Units are; however, whether preparing a 2nd EOM ERO or not, required to establish a 2nd EOM record in MIMMS for EVAC of TMDE for calibration or 3nd EOM.
 - * MSCMMSOP must have procedures for units that are not using a 2nd EOM ERO.

RESPONSIBILITIES

- Preparing Activity. (Owner, User, or Custodian)
 - ✓ Is responsible for the initial preparation to include the heading and description of work.
 - ✓ The items marked with a (#) will be completed by the preparing activity during the initial preparation.
 - ✓ "Description of Work" requires entries by both the preparing and maintenance activities.

KESPONSIBILIII ES

- **►** Maintenance Unit.
 - ✓ Maint. Activity will receipt for equip. by completing the "Accepted By", "Date" and "ERO No".
 - ✓ Maint. section will enter work performed as actions are completed and close out the ERO.
 - ✓ If item is evacuated to a higher EOM, the maint. section will complete those items required by the preparing activity. ERO No. will go in the "Request No/Old ERO No."

COMPOSITION

- White copy. Original
- Pink copy. Administrative copy
- Green copy. Maintenance copy. (mechanics working copy)
- Yellow copy. Is the owning units copy when equipment is at the maintenance shop.

PREPARATION INSTRUCTIONS

- Numbers in the ERO header blocks correspond to card columns for the "O" card except for the last line, these numbers pertain to card columns for the "T" or "3" card.
- Blocks at the bottom pertain to the card columns for a "9" card.

NOTES


- ► UM-4790-5, Ch. 6 explains the different types of transactions in MIMMS/AIS.
- "T" Transaction is only used by the Intermediate Maint. shops.
 - ✓ Provides an ERO chain & transfers from an existing ERO to a new ERO when EVAC'd to higher levels of Maint.


NOTES CONT.


"3" Transaction, used to manually enter/correct the NSN, TAMCN, Nomen., or WSC.


>"9" Transaction, used to close out a ERO record.

GET YOUR ERO OUT SO YOU CAN BE INSTRUCTED ON HOW TO FILL THIS FORM OUT; IAW TM-4700-15/1














2010	50000	200	ENIA	NO. TI	URNED	IN IF C	FFERE	NT FRO	344	ACCEP	TED B	Y ORGNA	TURKE				DAT	TE (DAIS)	T.E	OFF	06	ANIZATI	ON DOING	REPAIR	15	DEST. A	1	1.1
EQUEST NO	ONE BAO	NO. C	CD	100		EO	н	_	SERIA	LNIMBER						J08 1					C m	ING ORG	ANIZATI	ON		12 1	3 14	1101
02 500	THE REAL PROPERTY.	annone a	.	22 1	1 24		25		26	27 20	29	30	11 12	33	14 3	100	27 - 38	40	41	41								
WHER AC	-	A	итніс	MIZED !	ey Isig	HATUR	(E)	- 0	1	DATE	120	. 3	159190		HP.	IDN	мвел			/S/RENC	LATURE		-					
44 45	46 47	40			4							- 1	49 80	81		1 14	85 M	E =		4								
ATEGORY	CODE ICIMO	ACCRECATE VALUE OF		POSIDIO	1601	-	NAME OF THE OWNER, OWNE	108	STAT	JON	water to	PURMEN	200000000	WILLIAM ST	oral was	WINDOW.	WEIGHT	ENGINEED FOR		P SECT PE	ELEAME	PROMI	NVESTIG	ATHON IS	CHATUM	E)		
N N	PXC		.0		K K	3	THE S	01	62	0 4	66	-	67 66	40	30, 3	1 12	70 74	1 7 7	4 = 2	7.100								
ISPOSITION	HEFERENC								OWNER	N'S PHONE	NO.		SEC	REP NON						P.E	DMARKS							
ARD TYPE	ICIDCUS ON		-	THE	OF ITE	-	OR	-	ORIS			_		Twic	-	HOMENCL	ATURE				-				TANC	N/ID NO.	-	
	ICIACLE ON		3		1	1 01		ins	CONTRACT	120000	100	182	11			1	1	1000	-1.	Lat		.1	L. I	. 1 .		1 1	1	22.1
E S	CO LAND	26		17		9	10 1	1 10	2 13	1	-	6 17	the same of	and the same	21	22 23	24	15 26	27 2	8 29	20 3	1 32	-	34 35		37	38	39
NO.			DES	CRIPTIO	N OF W	DRK				(HOURS	0		MECH	ANIC TURE)			ST /US	0000	2	STATUS		NO	NON-SAS MEN, NSN	GR PART	S TNO.	QTY		COST
		-					-	_			+								+								+	
										-	+					-		_	+		-					+	-	-
										1/15/19/19																	1	
																7			1									
_		-	_	_		-		_		-	+	_	-	_		+		-	+		-		-	-	_	+	+	
			_							*				r Maria Project		-			-								-	
																				- 4/1								
							ΙŒÛ	12	45	1		A	al	10			a	nk			\neg					1	$\overline{}$	
-				_				41		-	-		uv			M	. u		-		-	_	_	7		+	+	-
																	100							0.00			_	
- 0			40														= 3											
		_	_	-						+						+	-										-	
									-	-	-					-			+		-					+	+-	-
1																												
							-															-						
		-	_	_		_	_	-		+	+	_		_	-	+		-	+		-	_			_	+	+	
+ -												*					100			+	-						_	
				-																								
		-		_						_	-					-			+		-							
_			_							-	-				_	+			+		-					+-	+	-
																											1	
											T			100									111/20	137-112				
IV. LABOR	сна.	-		NON-SA	SSY PA	RTS CH	6.	_	_	_	DAY	E CLOSE	0		IMC.	ABOR HR	i.		C	OSE STAT	NO. U	NOEM	EOTC	PRIMA	MY METE	R READIN	3	
14 1 15	16 17	1 111	19	20	21	22	2	24	25 .	m p	28	20	1 30	1 31	32	33	34	n • m		1	39	1 40	41	42	40	44	45	. 1 .
12	-	-			-			-			1	-	_	DATAFI	_	1	-	-		1-	1	1	1	1	-		-	
DE	PECT 1	1	T	SKS			MAN-H	OURS		1 .	REFECT	2		TASKS	-		EAN-HOU	NS.		DEFECT 3			TARKE		1	- 40	M-HOUR	*
							-				-			-														
46	49 50	81	1	10	13	84	85	56	. 57	10	59	60	61	62	63	64	65 6	66 • 67	68	69	70	71	72	7:	1 7	75	1	76 * :
SPECTED	BY (SIGNATI	NET					DATE			OWNE	NOT	FIED IN	AMET	- Commercial	- Constitution		DAT	€		DELIVER	ED TO I	IGNATU	463			0	ATE	
-	ASSESSED OF						-									es urac.	1						Land.					No. of Concession, Name of Street, or other Designation, Name of Street, Name
OUIPMEN	T REPAIR	ORDER	(ER	0) (112	40)												-					-		-				















SERIAL NUMBER NOTES

- Equipment with no Serial Number assigned, a local serial number will be assigned.
 - **✓** Completed by the unit supply section per the UM-4400-124.
 - * (Pg. 3-2-9, Para 2.6.a(4)) "No USMC number, the manufacturer's serial number will be used."


SERIAL NUMBER NOTES CONT.


- ▶ Pg. 3-2-17, Para 2.14, states major end items serial numbers will be unique. If a serial number cannot be identified, the number will be comprised of the last 5 digits of the RUC plus 3 numbers.
 - **✓**25-Ton Clamshell; the serial number could read as 54063001.

ERO NO.	14 No./o	D ENO NO	00 00 00	LOW				ЕСН		ENT F			ACCEP		76335		-				30	0 10	2 7		PECO	ic.	ORF				NI ZATIO		0000		2 13	1	ليا	16
	Time	BEE FE	2	_	_	23			25		26	27		29	30	21		31			. 3	N N		26	40	41	42		3,055	25000								400
OWNER A	1			THIC	SZED	WY IS	IGNA'	TURE)			DA	TE	270	1. 4	DE	PECT	1908	PR	1000	See anno	NUMBE	and the last	essa	eners.	1000	NOME	CLATU	RE									
44 45 CATEGOR	_	47 4	_	_	-	1601	-		-	10	e STAT	100	4	_	_	49	1 80		-					23		SHOP	SECT	RELEA	ED FR	OM IN	VESTIG	ATION	TEIGNA	TUNET		_	_	-
N N	P	x c	DESCRIPT	0	Ē	×	× :	1			100	100	1000	1 40	1	10	32	SE.	10	1			24	2		100												
DISPOSIT	ION-REP	ERENCE		_		_			_	-	OWN	ENTS	PHONE	NO.	-	-	8400	CREP	NSN	_								REMARK	CS									
CARD TY	PE CIP	CLE ONE		_	THE	N OF I	TEM	_	G		T-DRIS		_		-		_	I'm	risc .	-	HOMEN	ICL TU	nt.	-	-	_		-	-		_	90	TA	M CN/I	D NO.		_	
1	16	1	×	3	7	1.	1	.	10		12		4 1	10	6 1	,	.	10	20	21	22	23 2	4 21	20	27	20	29	30	31	32	33	34	35 2	.	37	38	39	40
ITEM NO.				DESC	RIPTI	OM CE	woe				-	T	LABOR (HOURS		wartoo	mode	MECH	HANIC	onnuði o	mont	T	SY	ATUS	1	300e		STATUS				ON-SAS	SY PAI	ers		QTY		COST	
NO.				UE DI		011	H-Coro	_		_	_	+	(HOURS	0	_	_	(SIGN	ATURE	1	-	+			-			DATE		_	NOM	EN, NSN	Off PA	AT NO.			-		
												1		+							4	_		-												-	+	
	04.00											1		_					- 510		4			4				- 8			_						_	
											0	h		Т	n					E	<u>ל</u> נ	W	'e		h		a	n			1102							
										<u> </u>		4		7	_						T	·			N		ч	Ш										
									_					Т							П								-									
												+	-	$^{+}$		_		_			7			\top									_					
	_			-	-		-	-	-	_	-	+	-	+		_		_			1			+			_		-		-	1				-	+	
-		-	-	_	-	_	-	-	-			+	_	+		-			_	_	+	_	-	+	-	-	_			3. 7.	_		_	-			+	
1				40			-					-		+	_		-	-	_	_	\dashv			+		-		-	_	_		_			_	-	+	
												_		4							_			_						_						-	_	
									-					Т																								
+-		-													4										1													
			_	_	_		_		_			+	-	+		_	_	_	_	_	7			+							-	_	-				\top	
		-	-	-	-	_	_	-	-	_		+		+	-	_			_		-			+			_	-	_		-	_	1000			+	+	
			_	_			_		_			+		+	_	_			_	_	-	_	-	+				-			_	_		-	-	-	-	-
				_								4		+			-			_	-			-		_	_									-	+	
																					ABOR							- 1				1		1				
. I.			. 1 .		NON-EA			E			1	-	1 -		VE CU		1 -	1.			1	1	. 1.				-1	T NO.	-		BOTC		1	1	EADING	1	. 1	
14 1	5 16	17 *	- 1	•	20	21	2	-	a	24	25 4	-	27	13		29	TAS	_	A FIEL	32 .DS	33	1,	1,		365	37	30	3	- 13	40	41	42	40	1 4		45	46	43
	DEFECT	,		TA	ses		1		MAH	-HOUR	5	I		EFEC	12	. 1		TASK	_	1		MAN	-HOURS		I		DEFECT	,	1		TASKS				MAI	N-HOURS		
1	1	1	6 33	1	. 1		1	. 1	-	1	033174		. 1	Name of	1		22	1	100		(1) (3)	1	100	3,533		333	1	1			21(55)	1		3		1	100	-
NSPECTS	49 ED BY (1	50 IGNATURE	81		1	13	1 0	• 1	BS DA	TIE.	. 5	1	OWNE	59 19 NO	TIPLED	-	61	62	-	3	64	68	DATE	• (67	1	69 DELIVE	70 RED TO	_	ATURE	72	_	79	74	75	ATE	-	77
THE REAL PROPERTY.	m 1 10								1	1000				1000		10000	100						1000			1		10000	10000	-	11				100	12-11		



ERO NO.		DEED!	200	MAL	VOL TURN	ED IN	FOF	ERENT I	FROM	Acc	EPTE	D BY ON	GNATU	(BRE)					- PERSONAL PROPERTY.	(DAIS)	OPE CO	OFF	OR	SANZAT	ION DOIN	G REP	LIRS	01	EST. AC	1 1	1
REQUEST	T NO./OL	D ERON	0. 0	CO	100		ЕСН		SERIA	L NUMB	EA .						13	08 10	QTY	RO	0		- 0	NING OR	GAN! ZAT	ION	-	1 13	2 13	14 1	10 10
		E I	_	1 2				25	26		20 2	29 30			33				34	20 40	41	42		10000	2011	2000					***
CWNER A			A	THOR	ZED BY	SIGNAT	TURE)			DATE	200		DE	PECT	NO.	PR	1	DNUMB	CR CR	-		NOMEN	CLAT	E							
44 4 CATEGO	5 46	47 ICIRCLI	48		160			T.	OB STAT	JON			49	80	81	-	15	14	FER			PSECT	RELEASE	D FROM	INVESTIG	ATION	TENDNA	rune:			
H N	P	X C	D	0 1	gangigan	X 3	200	SCHOOL ST	or 02	01	41		SEC.	9 9 10	141	21	200	2 1 72	1	212	10 A-10	7									
DISPOSIT	TION-ME P	ERENCE	SUITE PROPERTY.	OF THE	CHEST	CONTRACT OF THE PARTY OF			STATE OF THE PARTY.	ATS PHO	NE NO		SERVICE SERVICE	SEC	REPRE	N.			III ENGLIS	Spinor Billion	-	-	REMARKS								
						20000		100 19			-1111																				
T	No. of Concession, Name of Street, or other party of the Concession, Name of Street, or other pa	Section 1	MU.	3	NSN OF	1	215	OR I	T-DRIS	THE SAME	encus	- 1	- 1	- 1	WSC	1		NCLAT		1 1	-10	1	1 1	1	1 1	- 1		M CN/10		1 -	1
	16	17	26		7	0 1	9 10	11	12 13	-	118	16 1	17 1	10 10	9 20	21	22	23	24 25	1	27 2	8 29	30	31 32	-		-	M 3	17 2	20 3	9 40
NO.				DESCR	UPTION O	F WORK				(HO	URS)			(SIGNA)				51	TATUS	C00	6	STATUS		N	NON-SA OMEN, NS	SSY PA	RTS UIT NO.		QTY	Cr	OST
	-									1										4											T
-		-	-	_		_				+	-	-		-					_	+	+	-	-								-
_										-							_				-	-	-		-			-	-		+-
			4			B	D		(R				-	~ ~	~ ~		В		1 -		1	6 1		D.	~ +	-	1	ш			
			#				U		(R	e	U	u.	L	re	3 0		Ц	e		LV	e			U	d L	.e					4
		_							_									_													
				-		_	_			+-			-	_	_			-	_	-	+		-								+
-	_		_						-	+			_					-		-	+		-	_	_	-					+
										-								_			+		_								-
				40																				100							
						200																							-		
-		-		_																		-		100	-						
-	-	-	_	-	-		-		-	+	-		-	-	_	-	- 6	\vdash	-	-	+		-	-		-	-				-
										-		-						_		_	-		-			-					+-
+ -												-							2007			4									
								100													T										
			_			_							_																		1
_	-		-	-		-				+	-	-	-			_		-		-	+	-	-			_					+
										+				-		-		_		-	-		-								+-
															31.0													1			
CIV. LA	BOR CHO			N	OH-SASSY	PARTS	CHO.	-		-	0	SAYE CL	.088D		,	MIC.	LABO	R HRS.	-		CL	OSE STA	TNO	NISEM	BOTC	P-90.5	AARY M	ETER RE	(ADING	1	1
14	15 16	17 .	18	9 3	10 21	22	2	24	25 .	26 2	0	28	29	30	31	32	30	1	4 2	9 36	37	36	39	40	41	42	43	-		5 46	47
	DEFECT			745				MAN-HOU	0.5	T	DEFE	ICT 2	-	_	TANKS	HELDS		-	4-HOURS		T	DEFECT	,		TASK	8			MAN	HOURS	
_	SEPECT	-	-	TAS		+	-	I I		-	Deve		-				-				-	30.401	-	-			-		200		
46	49	1 50	81	1 80	133	84	.	85 8	6 . 57	10	1 .	10	60	61	62	63	64	65	66	• 67	68	1 00	70	21	72	1	79	74	75	76	* 77
INSPECT	ED BY IS	IGNATUR	163					DATE		ON	NERN	OTIFIED	D INAM	ME)	-	THE PERSON NAMED IN		-	DATE		-	DELIVE	RED TO	BIGNATU	ME3				DAT	THE	
-	100	-													-	-	-	-	-				-	-	1	-	-	-		-	-
EQUIPN	MENT RI	EPAIR O	RDER	(ERO	(11240)																										





QUESTIONS ?

QUESIIONS IO YOU!

Q. What is the yellow copy of the ERO used for?


A. It is owning units receipt while the equipment is in maintenance.

QUESIIUNS IU YOU!

Q. When is the DCD required on the ERO?


A. When the piece of equipment is deadlined. Cat Codes of "M" or "P".


BREAK!!!




AUTHORIZED BY (SIGNATURE)

- CO's may personally authorize or delegate in writing specific personnel who can sign UND "A".
- If upgrade is required & original signer is not authorized for the upgrade: New Priority and Date will go in the Description of Work block, and person authorizing the upgrade will sign in the Mechanics Signature field.
- ► Under investigation, ensure all investigation matters are completed.









ID NUMBER

- Cat. Code "O" ERO's, ID number will be the same as the first letter of the commodity area TAM. (i.e., B TAM = 00000B ID#)
- Cat. Code F, H, & D, a 3 Trans will be submitted (Nomen), this is to assist in determining item undergoing repair.
- Cat. Code C, & K, a 3 Trans will be submitted indicating Nomen. Of actual component.





CAT. CODES


- "M" MARES Reportable, D/L, requiring critical repairs.
 - * McBul 3000 contains all MARES equip.
- "N" MARES or Non-MARES requiring non critical maintenance.
- "P" Non-MARES, D/L or D/G, requiring critical repairs.
 - * P w/DCD = DL P w/out DCD = Degraded

CONT.


- MARES reportable, requiring critical repairs. Does not D/L, but does degrade its operational capability.
- D/L or precludes end item from operating at its full capacity. (Must have "mother" ERO)
 - * Cat code C is used when component will be returned to owner. F, H, and D = return to reparable issue point.


CAI. CUDES CONT.


- "D" Depot level SecReps requiring repairs.
- "O" Shop Overhead, PEB items.
- "F","H" Field level SecReps requiring repairs.
- **"K"** Calibration
- "S" SL-3 components for end items.
 - **✓**Components D/L's use codes "M" or "P".




ERO NO.	SEMAL BELOW	NO. TURNE	0 IN IF 0	FFERENT	FROM	ACCEPT	TED BY ING	ATURE)				DATE	DAIS)	er.co	OFF	ORGA	MIZATIO	N DOING	REPAIRS	0	EST. AC		1
REQUEST NO JOLD EN	O NO. DCD		EOH		SERIA	LNIMBER				7	J08 10	QTY	PED	0		OWN	NO ORGA	OITASIN	N	- 1	2 13	14 1	1 16
CWNER AG		ZED BY IS		25 E)	26	27 28 DATE	29 30	31 DEFEC	32 33	34 3	ID NUM		40	41	A2 AI								
44 45 46 47	40	4							80 81	4 1 4	3 34	1 m m	50 J 50	1 55							*		
CATEGORY CODE ICIN	C D O	1631	ell'ell	AND REAL PROPERTY.	IOB STAT	JON	ran eas	FREE	MARKET STATE	SHE	SEE SEE			oden er	SECT PE	ELEAMED	FROM IN	VESTIGA	THOM TENON	ATUMET			
DISPOSITION-REFEREN	ACE.	EURINE	No. Account	BOSES I	OW -	EL SHOW		ROBERT OF	AC BER NAME	ME		edi Eteli II	line line		_	DMARKS					,		
CXAD TYPE ICIACLE O	OHD	I NSN OF I	TEM	GR.	, T-DRIS				WSC	-	HOMENCLA	TURE						_	I	TAM CN/10	NO.		
16 17		7 0	1.1	10 11	12 13	24 1	16 17	110	9 20	21	22 23	24 28	20 3	27 20	29	30 31	32	33 3	25	20	77 3	. 31	40
ITEM NO.	DESC	RIPTION OF	WORK			LABOR (HOURS)		M (S)	HANIC NATURE)			STATUS	CODE		STATUS DATE		NOM	ON-SASS	Y PARTS OR PART N	0.	QTY	CC	DST
														T	-								
		1					1							T									
		-												1									
				Europe I		-																	
																					_		
	JON		J	ob		ro	lei	r	Nu	IM	be	r			ea	V	e	0	La	an	K		
																							1
	à.							1															
																							-
																	1						-
+-							1							-		_							-
		-				-								1		_						-	
						-	_				-		-	+		_							-
						-		-		-	-		-	+		-							-
CIV. LABOR CHS.	Tec	ON-SASSY P	ARTSCH	0.			DAYE CLO	dep.		TMC.	LABOR HRS.			- CL	OSE STAT	INO. UN	new T	вотс Т	PRIMARY	METER 6	FADING		
4 1 1	. 1	20 21	22	23 24	1 .	20 20			30 JI	32	33	34 35	- 36	37	20	39	40	41	1	1	. 45	1	10
								T	ASK DATA FI	ELDS								TARRE				HOURS	
DEFECT 1	TAS	K.S		MAN-HOU	ms .	0	BPECT 2	-	TASKS			AN-HOURS	IOUNS		DEFECT 3		TASKS				-		
46 49 1	50 St S0	13	54	DATE	56 # 57	Se Conver	59 60 R NOTIFIED	-	62	43	64 1	DATE	• 67	68	DELIVER	70 ED TO IS	74 SNATUE	72	73	74	75 DAT	76 E	• 77
NO ECTED BY ISIGNA	TUMES			DATE		OWNER	- AUTHOR								EL TEN								
EQUIPMENT REPAI	R ORDER (ERO)	(11240)										-								-			














ERO NO.	O NO. SERIAL NO. TURNED IN IF DIFFERENT FROM						1	ACCEPTED BY (SIGNATURE)								DAT	E (DAIS)	and the same	OFF OF			RGANIZATION DOING REPAIRS					DES	1						
BEOLUE	T NO for	D ERO N		500	-		180	DH.		TSER	AL N	MIER	_				_	- 13	08 10	QTV		MDO	10	_	OR	INING O	MGANI 2	ATION			12	13	14 1	18
MEGOES	THE STATE OF	E ENONE	-		2	11 1		21		26	27	20	29	30 3	1 30	33	34		No.	_	-	40	41	42										
CWNER	AG.	20.00		итнов	SZED	ey isk	GHATU	(RE)			DAY	-		6	EFECT	-	PR		D NUMB		Marine Street	-		NOMEN	CLATUR	KE						-		
41 4		47	_			4					_			19	9 8	61	-	13	2	10	2		55	operat o	ELEAM	ED E BO	ALC I LANGE	TIGAT	NAME AND	-		**		
CATEGO	MY CODE	Y C	ONE	0	2111	1601	ense.	SARRES	10	B STAT	JON	NEEDS A	2516	DOM:	DESERTE OF THE PERSON NAMED IN	CHECK	esse:	STORE .	129910	STREET,	ECO	1	SHUP	SECTION A	CUE-N	LU PHO	M 114 YES	i i i i i i	104 194	UNATU	ME.			
DISPOSIT	TIONAL	ERENCE	dian	NAME OF TAXABLE PARTY.			Hara			CWN	EATS I	PHONE N	0.	les III lie	840	CREPN	SN.								AARK	6					_			
																														0.00000				
T	ARE ICIA	LE CHE	MU	3	NSA	1 0 11	TEM.			T-DRes	Digital .	00 000 000	1	10001		wis		NOME	INCLAT	unt	10.00	1						1	1	TAM	CN/ID I	4O.	1	10000
	16	THE REAL PROPERTY.	26		7		9	10	11	12 1	7	Telephone .	16	17	-	19 20	21	22		24 2	8 26	27	28	29	30	31 3	2 30	34	36	26	37	36	36	40
ITEM NO.				DESC	RIPTH	ON OF	WORK				-	LABOR HOURS)			MEC (SIGN	HANIC ATURE)			-	TATUS	co	300		DATE		- 0	NON NOMEN	NSN O	PARTS	NO.		OTY	cc	ST
			_								+		1				111111					_									\top			1
			_	_	_	-	_				+		+	-			-	-A	-	-	+	-	_	-	-	11.7			-		+	-		-
_				-	_						+	-	+				1	\mathcal{H}	-		+	-		45	-			_	_	_	+	-	-	-
						-					4		_						_			4			_			1322			4	_		-
											-																							
											+																							
					-					_	\pm		+	_			_	•	_			-	1	-		-			-	_	+	-		_
			_	_	-	_		56	30		К	e	D		V 2	SN		Н	ea	3/	/e	-		H	a	H			-	_	+	-	200	-
- 1				4.		- 11					-						-				T										_			_
																															4	_		_
								-																			1							
+		-	_	1/2		_					+		1								-	\neg								-				
_	-		_	_	-	-	-	_			+		+-		_				\vdash	-	-	-	_	_	-	_		_	-	_	+	-	_	-
	_		_	_	_	_					+		-						-		-	-	_		-	_					+	-		-
- 8									-									- 23	_				11	-11							-			-
															1					7.5														
	-			-																									1-11-11		-			
CIV. LA	BOR CHS			N	ON-SA	day P	ARTSC	×6.			-		DAYE	CLOSES			Mic	LABO	R HRS.		100		CLO	SE STAT	NO.	UNDER	60	TC	PERMAN	EY MET	ER REA	ADING.		
14	15 16	17 *	18	19	20	21	22	23	24	25 .	26	27	28	29	30	_	32	_	,	14	16 .	36	37	30	39	40		1	42	40	44	45	46	47
											-				TAS	TASKS	_		***	N-HOUR		1	-	EFECT :			-	ASKS	-		-	MAN-P	OURS	
_	DEFECT	•		TAS	KS.		-	W.A.	H-HOUR	•	+	040	PECT 2	-		TASKS		+	MA	HOUR	•	+		EPECT :		-		31.0		+		-ANT		
48	49	80	81	1 8	. 1	53	84	85	1 14	. 87		10	50	60	61	62	63	64	65	0	6 • 67		68	69	70	21	1	72	73		74	75	76	• 77
INSPECT	ED BY (I	IGNATUR	e1					D	ATE			OWNER	NOTIF	ED INA	MET				-	DATE			1	DELIVE	TO TO	ISIGNA?	rune)			-		DAT	E	
-	120				-		-		-				_	-	-	-	-	minores	-	James	estative.	-			-	-	-	-		-	-	-	-	-
EQUIP	MENT R	EPAIR O	RDEF	(ERO	0 (112	1401																												

















QUESTIONS ?

QUESIIONS IU YOU!

Q. Where can you find the definitions of all the defect codes on the ERO?


A. <u>UM-4790-5, Chapter 24, Pg. 24-3.</u>


YOU!

Q. Which Category Code will be circled for an item of equipment that is not MARES reportable, but is degraded requiring critical repair?

A. P without a DCD.


BREAK!!!








DESCRIPTION OF WORK


- Entry of the Defect Codes is also required for each task entered, I.E. (b52), (X34), or (M07).
- Defect Codes will not be used for each individual task for a PMCS ERO.
- Priority upgrades, Signature and Date, Signature will go in the Mechanic (signature) field. Line out original signature




























EQUIPMENT REPAIR ORDER (ERO) (11240)


NAVMC 10245 (REV. 10-81) (4-78 and 2-80 Editions will be used)

SN: 0109-LF-063-2800 U./i. PG OF 100 SE











Reading


- ► UM-4790-5, Ch. 24, Pg 24-41, Master Equipment File (MEF) Error Codes, error code "a", Para. (b) states the reason for use of X34 as defect code for EOTC replace.
 - "Defect code X34 allows the MEF meter reading to be overlaid with the corrected reading entered on the updated transaction."
- * When the EOT Indicator has been replaced, one of the defect codes <u>must</u> be X34.


IASK DAIA FIELDS

- Maintenance section enters to accumulate maintenance history.
- Every effort made to record Def 1, Def 2, and Def 3.
- No entry required when repairs are conducted and recorded on:
 - √ Higher EOM ERO
 - √ Commercial activity by contract










NAVMC 10245 (REV. 10-81) (4-78 and 2-80 Editions will be used) SN: 0109-LF-083-2900 U/I: PG OF 100 SE



FILING AND DISPOSITION

- ► White Copy: Used to update the equipments records and becomes part of the record.
 - ✓ Minimum of 1 year from close out.
 - **✓** Exceeds 1 year, retain the most recent.
 - ✓ Batch ERO retain in one of the specific ID numbers record jacket.

FILING AND DISPOSITION

- **Pink Copy:** Used to update white and close in MIMMS AIS.
 - ✓ Destroy once all is updated

DISPOSITION CONT.

- Green Copy: Used as the working copy for maintenance not having custody of owning units records.
 - **✓** Used to update white. Retention is optional.
- * If Maint. has custody of owning unit records, GRN will not be retained.
- * If Maint. Elects to use white as working copy, use of the GRN not required.

DISPOSITION CONT.

- ► Yellow Copy: Used as owner receipt, after white is signed by maint. No more than one ERO will serve as receipt.
 - ✓ Maint. accepts equipment, give to owner as receipt.
 - ✓ Yellow is returned once all repairs are completed.
 - **√**White returned to owner, destroy yellow copy.

ADDITIONAL INSTRUCTIONS

- An open ERO must exist at the evacuating EOM (2nd) and the next higher EOM (3rd).
- ► Maint. with more than authorized EOM 2nd or higher, record all actions on lowest ERO.

ADDITIONAL INSTRUCTIONS CONT.

- Record PMCS actions on the PMCS ERO.
- PMCS completed as far as practical, close PMCS ERO and complete PM on separate CM ERO.
- CM ERO exist, PMCS may be recorded on CM ERO, only when CM can be closed after PMCS is completed.

ADDITIONAL INSTRUCTIONS CONT.

- Maintenance on equipment that a deferred ERO has been submitted may be performed on it as the authorizing document.
 - ✓ Deferred ERO is an ERO inducted into maintenance allowing for requisitioning of parts. Will not be D/L.

UNIT RECALL

- > Accepted for Unit Recall:
 - ✓ Maint. will hold all copies of the ERO.
 - ✓ Requesting unit will hold operable equipment.
- Local procedures must be established for accountability of equip. and use of yellow copy as a receipt.
- Maint will open ERO in MIMMS AIS w/Job Stat Unit Recall.

ADDITIONAL INSTRUCTIONS CONT

Cat Code M, or P w/DCD

- Only one ERO will be opened for deadlined equipment at each EOM.
- Active ERO's previously used as deadlined will not be upgraded to deadlined or degraded.

UNIT RECALL CONT.

- Schedule equipment into maintenance as soon as possible when all materials are received.
 - ✓ If not available, the job status will be changed to Awaiting Equipment.
 - ✓ When maintenance section is the IMA, owning unit will still show Unit Recall until End item is physically returned to IMA.
 - Once returned, owning unit will run EVAC HECH.

ADDITIONAL INSTRUCTIONS CONT.

- Prepare ERO for each item requiring maintenance.
- May be batched, but must have same ID#.
- Cannot batch for PMCS, CM, or Urgent mods. (NMCS)

ADDITIONAL INSTRUCTIONS CONT.

- When Maint is performed by other services, maintain:
 - **✓** A copy of the form
 - ✓ Transcription on an ERO (all available required info)
 - * Key info entered into MIMMS AIS
 - * Filed and maintained same as ERO
- Qty of info. On a ERO exceeds space on one sheet, additional sheets will be used, listing the ERO#, Serial#.
 - **√When closed, complete 1**st page.

NOTE

- CRITICAL PARTS are parts or SecReps that preclude equipment from performing its intended mission.
 - **✓** Requires 2nd through 5th EOM
- NON-CRITICAL PARTS are parts that affect equipment's ability to perform its intended mission but do not deadline.

DEADLINED ERO'S

Critical repairs that D/L PEI

► Use Cat Code "M" w/DCD for MARES reportable equipment.

Use Cat Code "P" w/DCD for Non-MARES reportable equipment.

DEADLINED ERO'S CONT.

- No longer deadlined, remove from DL as follows:
 - **✓** All repairs completed Close ERO.
 - **✓** All repairs not complete Downgrade Cat Code.

DEGRADED ERO'S

Cat Code X or P w/out DCD

- Only one degraded ERO at each EOM.
- Active ERO's previously used as degraded will not be upgraded to degraded or deadlined.

DEGRADED ERO'S CONT.

Critical repairs, but not deadlined

- ► Use Cat Code X on MARES reportable equipment.
- Use Cat Code P w/out DCD for Non-MARES reportable equipment.

DEGRADED ERO'S CONT.

- No longer degraded, remove from degraded as follows:
 - **✓** All repairs completed Close ERO
 - **✓** All repairs not complete Downgrade Cat Code/Pri.

CAT CODE "O"

- Will allow for ordering shop requirements:
 - **✓**PEB
 - **✓** Lubricants
 - **✓** Shop supplies

CAT CODE "S"

- > Allows for ordering SL-3 components.
- ➤ If SL-3 component deadlines equipment, use the Cat Code of "M" or "P" ERO that deadlines the equipment.

CAT CODE "C"

- Allows unit to EVAC major components of an end item to maint shops:
 - >At the same EOM
 - **Higher.**
- Allows to inter-shop end items at the same EOM w/ Cat Codes "M", "P", or "N" ERO's opened.

ADDITIONAL INSTRUCTIONS CONT.

- Equipment is deadlined (Not Mission Capable) when it cannot perform its designated combat mission.
- ► Routine maintenance does not deadline equipment.
- Owning unit responsible for determining status (adding, changing, or deleting)

3 D/L STATUSES

- Not Mission Capable Maintenance (NMCM)
- ► Not Mission Capable Supply (NMCS)
- ► Not Mission Capable Transit (NMCT)

NOTE

- ► FED-LOG lists Combat Essentiality Codes (CEC)
 - **✓**CEC of "5" is a part that renders the MARES reportable end item Deadlined/Degraded.
 - **✓**CEC of "6" is a part that renders the Non-MARES reportable end item degraded.

NOTE CONT.

TM-4700-15/1H, Ch. 2, Pg. 2-2-24 indicates the appropriate UND that must be used for assignment of priorities to Category Codes.

QUESTIONS ?

QUESIIUNS IU YOU!!!

- Q. What is meant by the term "Critical Parts"?
- A. Parts or SecReps that precludes equipment from performing its intended mission.

- Q. What are the 3 deadline statuses?
- A. NMCM, NMCS, NMCT

BREAK!!

NAVMC 10925

ERO SHOPPING/TRANSACTI ON LIST (EROSL)

NAVMC (2-79 AN SN: 000	D 6	-82 E	EDIT	IONS	WIL					L SU	PPL	Y IS	EXH	HAU	STE	D)								E	R	0	S	H	0	P	Pl	N	G	/T	R	A	NS	SA	C	П	0	N	L	S	r					1	-	ERO	NO.		7		
UNIT _										DA	TE.				_	MAI	NT.					100			D	ATE		1	,	INI	IT.	. 8	UPP	LY-II	P _			DA	TE		/		INI	T.	D	ATA	CL	ERK	_			D	ATE	,	/	1	NIT.
ATER	RIAL	USA	AGE	COD	E: 6	J]	8	9	D	SI	НОР	SEC	СТІО	Ī.	-	Ι	']	V	1		4	Ŀ	7	7 (0		0	_	. 1	L		5/	1	1	I	1	[,		C		H	I	•	2	2	,]	P	(3	•	1	2	_		3	_
-	1	. J		A		1		D)_	-	U	Ц	V	1	-		L	4	4	0)	_	1	L	2	2	4	-,	K.	I)	Д		R	2	Γ		Ι		Ι	J		S	I	=	(יר	9	_		0			I		9
c		-	10				-	1	F			33	X				6.		L_									-		L		100					100			0		100						-	R	-					1	- 41	
1 2	4	5	6	7 8	9 1	0 11	12	13 14	15	16 1	7 18	8 19	20 2	21 2	2 23	24	25 2	6 27	28	29	30 3	32	33	34 3	35 3	6 37	38	39	40 4	1 42	43	44 4	5 46	47	48 4	19 50	51 5	52 5	54	55 5	6 57	58	59 6	61	62 6	3 64	65	56 6	7 68	69 7	0 71	72	73 7	4 75	76	77 71	79 80
Ш					Ц											Ц	-	1			-										L		1	Ц	1	-	Ц		Н	-			1			L	Ц	1			1						9 8
	+	Н							H					1				Щ					2		4					H			1	Н			Н										Ш	Ц									羅羅
																H					100	100			4		-												H													H					靈麗
									H					ı								h				100													Н																1		100
	H															Н																					Н																				報報
			100	100					-			100		1	100	Н			100			-	-		-	100	-		200	-	100		9 10	П		۲	100				1			100	100	100			100	100	100			-			
																	i		10			b			9					100	i										h			10										h			開開
					i				i			ı		i		Ħ			Ĭ			Ĭ	ij			i	i			i					i					i					i		i	i				Ħ			gi.		器器
	T				Ī			T						Ī					200										1			Ī									,																
																						U	III.					M								U U						28															豐釀
																			M	W			ı		ı						W	MI				N N		W			l M				MI			M	ı			臟				A S	豐豐
																											1							W			腿												M		ł						羅羅
																M				疆																								疆													點號
						10																													1																					18	
	11			握								W		4																						4 1											M		Į,					10			

н

PURPOSE

- ► Has dual purposes.
 - **✓** ERO Shopping List
 - **✓** MIMMS Data input form
- >EROSL is used in conjunction with the ERO to.
 - **✓** Requisition
 - **✓**Receipt for
 - **√** Cancel
 - **✓** Record partial issues
- * Simplifies data input for all MIMMS transactions.

CONFIGURALIO N

- Configuration.
 - √100 sheets to a pad.
 - ✓ Self-carbonized to permit a number of copies.
 - As directed by MMSOP
 - Normally it is three copies (UM-4400-124)
 - **✓** Front and back covers are templates.
 - * Refer to the UM 4790-5 for all MIMMS input transactions.

KESPUNSIBILIII ES

- **ERO** holder initiates:
 - **✓**ERO number
 - **√**Unit
 - **✓** Date
 - **✓**Initials
 - **✓** Date personnel prepared EROSL
 - **✓** Circle the correct Material Usage Code.
 - **√**Shop Section.
 - **✓** Source Reference.


GET OUT YOUR NAVIC 10925 SO WE CAN GO OVER PREPARATION INSTRUCTIONS.

HEADER SECTION

NAVMC 10925 (REV. 6-86) (2-79 AND 6-82 EDITIONS WILL BE USED UNTIL SUPPL SN: 0000-00-006-4885 U/I: PADS OF 100 SHEETS	LY IS EXHAUSTED)	ERO SHOPPING/TRAI	ERO NO.			
UNIT DATE	MAINT.	DATE INIT. SUPPLY-IP	DATE / INIT. DATA CLERK	DATE / INIT.		
MATERIAL USAGE CODE: 6 7 8 9 SHOP	P SECTION					
A D	G	- I	M P			
B E	Н	К	N Q-			
C F	1	L	R_			
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 1	18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 3	3 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50	51 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69	70 71 72 73 74 75 76 77 78 79 80		
FRO Fn	ter the	FRO num	ber assig	ned		
to th	e equip	ment tha	at require	25		
par	LS LO L	e requis	sitioned.			
				u 法的复数法的证据的		

NAVMC 10925 (REV. 6-86) (2-79 AND 6-82 EDITIONS WILL BE USED UN SN: 0000-00-006-4885 U/I: PADS OF 100 SHEET		ERO SHOPPING/TRANSACTION LIST	ERO NO.
UNIT	MAINT	DATE INIT. SUPPLY-IP DATE INIT. DATA CLERK	DATE INIT.
MATERIAL USAGE CODE: 6 7 8 9	SHOP SECTION		
A D.	G	J P	
B E.	Н.	K N Q	
с	1	L O R	
1 2 3 4 5 6 7 8 9 10 11 12 13 14	16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 3	3 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69	70 71 72 73 74 75 76 77 78 79 80
			医医医医医医
ONTI	Enter th	e name of the sec	TION
	request	ing the parts.	
	request	Tily the parts.	
	医医神经医院 医医院 医二甲基甲基甲基甲基甲基甲基甲基甲基甲基甲基甲基甲基甲基甲基甲基甲基甲基甲基甲基	2	疫苗提供緊閉医療影響器
建設整理的基準的基準的	康爾德爾斯德爾斯斯斯斯斯斯斯斯斯斯斯斯斯斯斯斯斯斯斯斯斯斯斯斯斯斯斯斯斯斯斯斯	t 正型 斯里斯 医克里氏 医克里斯氏 医克里斯氏 医克里斯氏 医皮肤 医皮肤 医皮肤	星面電影展高高磁器量器
	建在整理在整理在整理的基础的	指	A 型 製 製 製 製 製 製 製 製 製 製 製 製 製 製 製 製 製 製
製品放車器建設設置置	医高性蛋白蛋白蛋白蛋白蛋白蛋白蛋白蛋白 蛋白	目 新典 歌 歌 新	2. 10 10 12 15 15 15 15 15 15 15 15 15 15 15 15 15
祖 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 3 2 3 2 3 2 3	至	: 医表面硬态 医性囊性 医性囊性 医皮肤	計算展開展開闢機器
	表面面表现的现在分词	pag and	人民政策基础显示的基础
斯坦斯爾爾爾斯斯斯斯斯斯	美俚医格兰斯坦多尼克斯斯斯斯斯斯斯斯	2. 医多性结束性性炎性 医多性性 医二氏性 医二氏性 医二氏性 医二氏性 医二氏性 医二氏性 医二氏性 医二	电影 医多种性 医多种性 医
羅維養養養養養養養養養養養養養	医聚基苯磺胺甲基甲基甲基甲基苯甲基	1 新麗斯斯馬拉斯尼斯斯斯斯斯斯斯斯斯斯斯斯斯斯斯斯斯斯斯斯斯斯斯斯斯斯斯斯斯斯斯斯斯	^化 化二甲基甲基甲基甲基甲基甲基甲基甲基甲基甲基甲基甲基甲基甲基甲基甲基甲基甲基甲基
[医乳球性动脉 医多种性性 经有效的 医多种性 医多种性 医多种性 医多种性 医多种性 医多种性 医多种性 医多种性	B 数据 20 经 数 20 类 20	法联络罪 医腰牙 医神经腺


UNIT DATE M_INT / SUPPLY-IP DATA CLERK /											
	-										
DATE / INIT. DATE / INIT. DATE / INIT. MATERIAL USAGE CODE: 6 7 8 9 SHOP SECT ON											
B											
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 2 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77	78 79 80										
DATE Enter the Julian date the	医髓										
EROSL was prepared.											
쿺霋霥耾飁报泵惃瘱闦暛譺ૂ荲匤ૂ荲匤蕸\dfrac竤瘱竤媙竤竤竤竤竤竤竤竤竤竤竤竤竤竤竤竤竤竤竤竤竤竤竤竤 竤 竤竤竤竤竤竤竤竤竤竤	震腦腦										
猎猎狗狗狗 医乳球球球 医乳球球球 医乳球球 医乳球球 医乳球球 医乳球球 医乳球球	量量器										
魙魙腤軉 腤軉腤腤	超温器										
	1 2 3										
细胞细胞细胞细胞细胞细胞细胞细胞细胞细胞细胞细胞细胞细胞细胞细胞细胞细胞细胞	是聖蔵										
藡郼韄膌膌竤竤竤竤竤竤竤竤竤 竤竤竤竤竤竤竤竤竤竤竤竤竤竤竤竤竤竤竤竤竤竤竤竤竤竤											
駎飁襧飁飁駎灩鷤軧腤飁۔ 猎闦闦	異難器										
革命者 医肾盂囊 医咽性皮肤 医肾盂 医肾盂 医胃溃疡 医胃溃疡 医胃溃疡 医胃溃疡 医胃溃疡 医胃溃疡 医胃溃疡 医胃溃疡	國歌劇										
	400										
● 2 音音 2											




NAVMC 10925 (REV. 6-86) (2-79 AND 6-82 EDITIONS WILL BE USED UNTIL SUPPLY IS EXHAUSTED) SN: 0000-00-006-4885 U/I: PADS OF 100 SHEETS	ERO SHOPPING/TRANSACTION LIST ERO NO.
UNIT DATE MAINT	DATE SUPPLY-IP DATE DATE DATE DATE INIT.
MATERIAL USAGE CODE: 6 7 8 9 SHOP SECTION	
DATA CLERK D	DATE/INIT Supply section
enters the i	nitials and date R
verifying th	nat all transactions
have posted	30 美
Supply section will that have no errors	. check each transaction w/ the DTL
	correct each transaction w/ the DTL
that have Non-Criti MMSOP.	ical/Critical errors or mistakes per
Supply section will and take corrective	
and take corrective	action per the misor

NAVMC 10925 (REV. 6-86) (2-79 AND 6-82 EDITIONS WILL BE USE SN: 0000-00-006-4885 U/I: PADS OF 100 S	D UNTIL SUPPLY IS EXHAUS HEETS	TED)	ERO SHOP	ERO NO.				
UNIT	DATE	MAINT.	DATE / INIT	SUPPLY-IP	DATE / IN	DATA CLERK	DATE A	/ INIT.
MATERIAL USAGE CODE: 6 7 8	9 SHOP SECTION _	9			W.			
В.								
		USAGE			les les les les les les les	PR 100 100 100 100 100 100 100 100	69 70 71 72 73 74 75	76 77 8 70 80
		he ap				de. l	Must	
match	wha	t is	list	ed i	1 CC	37.		
6 =	51-	3 Com	pone	nts				
7 =	= Cor	recti	ve M	aint	enan	Ce		
							記憶を検える。 「「これ」	健康製塑器 開発を終る
8 =	= Mod	ifica	tion	Ins	truc	tion	製造業等 製作機能養養服	
						111111111111111111111111111111111111111		
9 =	: Pre	venti	ve M	aint	enan	ce		


NAVMC 10925 (REV. 6-86) (2-79 AND 6-82 EDITIONS WILL BE USED U SN: 0000-00-006-4885 U/I: PADS OF 100 SHEI		ERO SHOPPING/TRANSACTION LIST	ERO NO.
UNIT	DATE MAINT	DATE SUPPLY-IP DATE INIT. DATA CLERK	DATE INIT.
MATERIAL USAGE CODE: 6 7 8 9	SHOP SECTION		
A	D G	J M P	
R	Е И	K N Q	
с	F L	LOR	
1 2 3 4 5 6 7 8 9 10 11 12 13 14	14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 3 32 33	34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70	71 72 73 74 75 76 77 78 79 80
SHO	P SECTION	ERO Holder enter	-
Shop	Section a	s listed on the E	RO I
		班表 医抗性性 医二甲基甲基甲基甲基甲基甲基甲基甲基甲基甲基甲基甲基甲基甲基甲基甲基甲基甲基甲基	温泉製品画製品品製品
	医骶侧侧侧侧侧侧侧侧侧侧侧侧侧侧侧侧侧侧侧侧侧侧侧侧	ĸĸĸĸĸĸĸĸĸĸĸĸĸĸĸĸĸĸĸĸĸĸĸĸĸĸĸĸĸĸĸĸĸĸĸĸĸ	福班総元信高額の基礎
亞斯斯斯斯斯斯斯斯斯斯斯斯斯斯斯斯斯斯斯斯斯斯斯斯斯斯斯斯斯斯斯斯斯斯斯斯	复数设置设备服务基金股份的	퓇泻醌 医骶线 医囊膜 医眼腺 医腺腺 医胆囊	播獲養養護數數數
脲酰腺性酶脂肪酸性溶液	医骶髓膜 医甲基甲基甲基甲基甲基甲基甲基甲基甲基甲基甲基甲基甲基甲基甲基甲基甲基甲基甲基	表 10 M M M M M M M M M M M M M M M M M M	準模型機能開放型機器
			美双集医复数医表面
医多种医医性性性性性		u - 2 2 10 2 20 20 20 20 20 20 20 20 20 20 20 20	推議養養護養養養養養
奶炸咖啡排除 医粗糖蛋白		医多类性 医克里氏 化二甲基甲基甲基甲基甲基甲基甲基甲基甲基甲基甲基甲基甲基甲基甲基甲基甲基甲基甲基	张扬百姓战争高高强 观
多规则所被资源组位进程范围			经加速器的数据报警器
孫伯斯班際領導協議協議監督	表现的现象形式的现在分词形式的现在分词	医乳腺性蛋白 医多种性 医甲基甲基甲基甲基甲基甲基甲基甲基甲基甲基甲基甲基甲基甲基甲基甲基甲基甲基甲基	张扬克斯岛西亚巴斯




INY QUESTIONS THE HEADER SECTION?



CC 1 "TRANSACTION CODE"
ERO holder enters a "4"
 Required entry.




CC 2-6 "ERO NUMBER" ERO holder
enters the ERO number listed
 on the ERO.
Required entry.



CC 11-23 "NATIONAL STOCK NUMBER"


ERO holder enters the NSN of each part requested.


Required entry.



cc 24-26 "QUANTITY" ERO holder enters quantity of the repair parts to be ordered. Numeric and right justified.


Required entry.





CC 41 "SIGNAL CODE" Supply Sect.
enters. Where part is shipped and
 who receives the bill.
 "SC","PB","99" not required.
 Blank, a "13" will be
 automatically generated.


UM-4400-124, Part IV, Section 4, Pg. 4-4-144.



CC 42-43 "PRIORITY" ERO holder
enters the priority for each
 transaction.

Must be equal to, or lower than priority of the ERO.

Required entry.




CC 44-48 "SUPPLEMENTARY ADDRESS"

Supply section enters.


May be left blank.

SecReps will be filled out by the issuer.




CC 49-50 "UNIT OF ISSUE" ERO

holder enters.
Required entry for each transaction.




CC 51-64 "JOB ORDER NUMBER" ERO
holder enters the JON, provided
 by your Supply section.
May be left blank, unless MMSOP
 states it to be required.



DEMAND CODES

- **UM-4400-124, Part IV, Section 4, Pg. 4-4-35.**
- Recurring demand is a request made periodically or anticipated to be repetitive.
- Non-Recurring demand is a request known to be a one time occurrence.



CC 67 "NOT MISSION CAPABLE SUPPLY (NMCS) OF THE PARTS TRANSACTION"

ERO holder enters the NMCS indicator for each transaction when required.

Secondary Reparables

- Part required to remove Sec Rep from NMCS status
 - >Used by units overseas or stateside units alerted for deployment within 30 days.
 - **Priorities "01", "02", or "03".**
 - * Expedited handling.

Sec Reps (Cont'd.)

- Rep from a NMCS status.
 - CONUS Priorities 02-09.
 - CONUS Priority 05.

MARES reportable

- Part required to remove equipment from NMCS status
 - >Used by units overseas or stateside units alerted for deployment within 30 days.
 - **Priorities** "01", "02", or "03".
 - * Expedited handling.

MARES reportable (Cont'd.)

- Part required to remove equipment from NMCS status.
 - CONUS Priorities 02-09.
 - **OCONUS Priority 05.**

MARES reportable (Cont'd.)

- : Part required to remove equipment from ANMCS status.
 - Priorities 02 through 08.
 - CONUS Anticipated to D/L within 15 days
 - ►OCONUS Anticipated to D/L within 20 days

NMC5 INDICATORS

MARES reportable (Cont'd.)

Blank: Used when the part does not place the equipment into a NMCS or ANMCS status. (Non-essential repairs parts)

CO deems mission essential

- P": Part required to remove equipment from NMCS status
 - >Used by units overseas or stateside units alerted for deployment within 30 days.
 - **Priorities "01", "02", or "03".**
 - * Expedited handling.

CO deems (Cont'd.)

- : Part required to remove equipment from NMCS status.
 - CONUS Priorities 02-08.

CO deems (Cont'd.)

- Part required to remove equipment from ANMCS status.
 - Priorities 02 through 08.
 - CONUS Anticipated to D/L within 15 days
 - ►OCONUS Anticipated to D/L within 20 days

NMC5 INDICATORS

CO deems (Cont'd.)

Blank: Used when the part does not place the equipment into a NMCS or ANMCS status. (Non-essential repairs parts)

NOTE

- Combat Essentiality Codes for parts can be located in FEDLOG and associated publications.
 - **✓**CEC of "5" is repair part or SecRep that renders MARES reportable equipment deadlined or degraded.
 - ✓ CEC of "6" is a repair part or SecRep that renders a Non-MARES reportable equipment deadlined or degraded.



CC 68-69 "ADVICE CODE" ERO
holder enters the Advice Code
 with the Supply sections
assistance that best suits the
 part being ordered.

UM-4400-124, Pg. 4-4-10, UM-4790-5, Pg. 24-35, or the Logistics Operations Defense Logistics Agency, Customer Assistance Handbook.


MIMMIS ADVICE CODES

- The ERO holders enters, if required.
 - **✓"SC"** is for a "Scrounged" part.
 - **✓"PB"** is for a "Pre-Expended" part.
 - √"99" is for a "Non-System" item.
- VIM-4790-5, Chapter 24, UM-4400-124, Pg. 4-4-14 and TM-4700-15/1H, Pg. 2-3-9.


PEB ITEMS

- Not required to be reported when a Operator applies a PEB item.
- ► 2nd EOM or higher will report items applied in Quantities equal to or in multiples of the U/I, using the advice code of "PB."
- Not required when the cost is less than \$50.00.

- Scrounged Repair Parts. Report all items obtained using a EROSL and advice code of "SC".
- SASSY Advice Code. ERO holder coordinates with the Supply section for all advice codes.
- SecRep Items Advice Code. Issue point will enter advice code.
 - ✓I.E. "F1" exchanged item is the same as what was turned in.



CC 70-79 "NOMENCLATURE OR
PART NAME" ERO holder enters the
Nomen/Part Name for each
transaction.



CC 80 "TRANSACTION TYPE"

ERO holder enters a "A" for add.

SPECIAL INSTRUCTIONS

- Requisition PEB items by using a shop overhead ERO, per MCO P4790.2_.
- ► ERO parts bin (Layettes) is a place where parts are stored until applied to the equipment.
 - **✓** Small parts for the same ERO will be kept together.
 - **✓** Large items are normally kept together.

SPECIAL INSTRUCTIONS CONT.

- Parts received that are not installed immediately will have the EROSL annotated with:
 - **✓** Date/quantity received.
 - **✓**ERO bin location.
 - *Or location designated other than the ERO number.

SPECIAL INSTRUCTIONS CONT.

- Parts removed for installation, the mechanic or shop chief shall annotate the EROSL.
- Annotation procedures must be contained in the Major Subordinate Command Maintenance Standing Operating Procedures (MSCMMSOP).

NAVMC 10925 (REV. 6-86) (2-79 AND 6-82 EDITIONS WILL BE USED UNTIL SUPPLY IS EXHAUSTED) SN: 0000-00-006-4885 U/I: PADS OF 100 SHEETS	ERO SHOPPING/TRANSACTION LIST	ERO NO.
UNIT DATE MAINT	DATE/ INT SUPPLY-IP DATE / INIT. DATA CLERK	DATE / INIT.
MATERIAL USAGE CODE: 6 7 8 9 SHOP SECTION		
A D G	J M P.	
EQUIP.NOMEN F	K N O	
		AUTHORIZING
c_SERIAL # F L		OFFICAL
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33	34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68	69 70 71 72 73 74 75 76 77 78 79 80
QTY RCVD 001/DATE	JON# QTY ISSUED 001/DATI	E U/P 0-00
SIGNATURE	SIGNATURE	T/P 0.00
**************************************		网络多维亚维斯斯斯斯斯斯斯斯斯斯斯斯斯斯斯斯斯斯斯斯斯斯斯斯斯斯斯斯斯斯斯斯斯斯斯
CLASSRO	OM MSCMMSOP	
		表示性的 医多种性 医多种性 医多种性 医多种性 医多种性 医多种性 医多种性 医多种性
) (OJEND) (UJ KJENSTANIANIANIA	援車艦艦艦艦艦艦艦艦艦艦
		() 3 2 3 3 3 3 3 3 3 4 5 5 5 5 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6
报表现的报告证券的证据的证据证据证据证据证据证据证据证据证据证 证证证	沒沒在班班的现在分词的现在分词形式的现在分词的现在分词形式的现在分词形式的现在分词的现在分词的现在分词的现在分词形式的现在分词的现在分词的现在分词的现在分词的现象的现象的现在分词的现在分词的现在分词现象现象的现在分词的现在分词的现在分词的现象的现分,可以可以使用的现象的现分,可以可以可以现象别的现象的现象的现象的现象的现象的现象的现象的现象的现象的现象的现象的现象的现象的	经基本股票的 医
表表现 医皮肤 医皮肤 医甲基甲基甲基甲基甲基甲基甲基甲基甲基甲基甲基甲基甲基甲基甲基甲基甲基甲基甲基	技術教育的 医动物 医多种性性 医皮肤 医皮肤 医甲基甲基甲基甲基甲基甲基甲基甲基甲基甲基甲基甲基甲基甲基甲基甲基甲基甲基甲基	韓侯縣器數面原要數數數
	ə 美国 東京 18 東京 18 18 18 18 18 18 18 18 18 18 18 18 18	
京 5 年 1 日 5 日 5 日 5 日 5 日 5 日 5 日 5 日 5 日 5 日	李德斯斯尼亞東西亞斯斯里班里班里斯斯斯斯斯斯斯斯斯斯斯斯斯斯斯斯斯斯斯斯斯斯斯斯斯斯斯斯斯斯斯	^{没要证据要等资源} 整据整据

FILING

- When the ERO holder completes the requisition information:
 - ✓ It is taken to the Supply section.
 - ✓ Supply will then complete its required information.
 - **✓** Returns the 2nd copy to the ERO holder.
 - ✓ 1st copy is maintained by Supply while parts are outstanding.

FILING CONT.

- ✓ Supply will then forward the original to the keypunch clerk for processing.
- **✓** Supply will then ensure all transactions have been accepted on the DTL.
- ✓ Supply then forwards the original to the ERO holder, who will join it with the original ERO.

FILING CONT.

- FMSS supported units are not required to retain EROSL when associated ERO has been closed.
- Non FMSS supported units will file the completed original ERO/EROSL together and retain for a minimum of 1 year in the equipment record jacket.
 - * Exceeds 1 year, retain the most recent completed ERO/EROSL.

QUESTIONS ?

BREAK!

DEMONSTRATIO N

BREAK!

PRACTICAL APPLICATION "A"

BREAK!

PRACTICAL APPLICATION "B"

BREAK!

QUESITONS TO YOU!

- Q. What is the Material Usage Code for SL-3 Components?
- A. <u>6</u>

- Q. What are the NMCS Indicators and what CC do they go in for NMCS and ANMCS parts being ordered?
- A. 9, N, and E, CC 67

SUMMARY

During this period of instruction we have the purpose, responsibilities, preparation, filing and disposition of NAVMC 10245 and NAVMC 10925.

BREAK!